



J

## INDEX MAPS.

T. 3. N. R. 7 W. 2<sup>nd</sup> Mer.T. 4. N. R. 7 W. 2<sup>nd</sup> Mer.

The figures on the lines refer to the page.

Township No 4. North of Range No. 7 West of the 2<sup>nd</sup> Mer. Sec. 479  
Ch. 6.

### South Boundary.

- West Out to South Boundary of sec. 36. T. 4. N. R. 7 W.  
Through swamp overgrown with mato. Timber ash,  
Elm, Maple & Willow
- 40.00 Set a 7/8" sap post from which  
Oak 13 in dia: bend. S 54 W. 6 links ash; 8  
Maple 12 " " " S 43 E 46 " "
- 50.00 Land 2<sup>nd</sup> rate intervals; Timber ash, Elm, Maple,  
& Gum.
- 61.50 To a Run, 8 link wide, corner S. E.
- 64.80 " " Same 8 " " " S. E.
- 70.00 Land 2<sup>nd</sup> rate; upland; Timber Oak & Hickory, Gum.  
& Maple.
- 80.00 Set a post for the cor of sec. 35 & 36. from which  
Gum. 12 in dia: bend. N. 50 W. 30 links ash; 1 1/2  
Maple. 14 " " " S 46 E. 13 " "

- West Out to South Boundary of sec. 35 T. 4. N. R. 7 W.  
Over land 2<sup>nd</sup> rate; Timber Oak, Hickory, Gum.
- 25.00 Barren. Some Oak & Hickory,
- 40.00 Set a 7/8" sap post. no bearing
- 49.92 To an Oak 12 in dia: stands in the line.
- 74.00 To a Run. 10 link wide, corner S. E.
- 80.00 Set a post for the cor of sec. 34 & 35 T. 4. N. R. 7 W.  
No bearing true.

- West Out to South Boundary of sec. 34 T. 4. N. R. 7 W.  
Land barren same as last mile.
- 40.00 Set a 7/8" sap post from which an  
Oak 14 in dia: bend. S 21 E. 103 links ash; 8  
Do. 8 " " " S 25 W 94 " "
- 65.18 To an Oak 6 in dia: stands in the line
- 80.00 Set a post for the cor of sec. 33 & 34 No bearing true

T. N. 34 N. R. No. 1 of W 2<sup>nd</sup> Mer. Ind?

West On the South Boundary of T. 33. S. 4. N. R. 7 W.  
 10.11 To an Oak 7 in. dia. stands in the line.  
 40.00 Set a 7<sup>th</sup> sap post from which,  
 Hickory 7 in. dia. bears N 41 E. 51 links dish; & 9  
 Oak. 6 in. " " N 77 W. 31 " "  
 80.00 Set a post for the corner. 32 & 33.  
 This mile barrens some Oak & Hickory, small timber

West On the South Boundary of T. 32. S. 4. N. R. 7 W.  
 Over barrens; some Oak, & Hickory, Norway Spruce  
 Hazel & Paper birch  
 40.00 Set a 7<sup>th</sup> sap post from which  
 Oak 7 in. dia. bears N 49 E. 17 links dish; & 9  
 Maple. 20 " " " S 18 E. 29 " "  
 60.00 Land some what better, some Wash, Elm, Ma-  
 ple, & Ss.  
 80.00 Set a post for the corner. 31 & 32 from which,  
 Elm. 10 in. dia. bears N 57 W. 18 links dish; & 9  
 Maple. 20 " " " S 18 E. 29. " "

West On the South Boundary of T. 31. S. 4. N. R. 7 W.  
 Land same as last mile, some Wash, Elm, Maple.  
 8.00 To open prairie Land poor much grass.  
 22.00 To 2<sup>nd</sup> rate upland. Some Wash, Elm, & Black  
 & B. Walnut.  
 40.00 Set a 7<sup>th</sup> sap post No bearing  
 50.00 To 2<sup>nd</sup> rate bottom land. Some Elm, Maple,  
 & Ash. & 9  
 76.78 Enter at the West Range line at the post cor of  
 Towns. 3 & 4. N. R. 7 & 8 W. Feb. 5. 1805.

## East Boundary.

North On the East Boundary of T. 36 S. 4. N. R. 7 W.

T. N. 4. N. R. N. 7 W 2<sup>nd</sup> Mer. Ind.

Through Swamp timber ash, Elm, Maple, Willows  
 29.00 Land 2<sup>nd</sup> rate Interior; timber Elm, Maple & Oak  
 40.00 Set a 7/4 support from which;  
 Maple 16 in. diam. trees. \$587.30 links cut; &  
 Gum. 16 " " " \$1336.22 " "  
 45.00 To 2<sup>nd</sup> rate upland; timber Oak, Hickory, Gum,  
 Poplar & Ash,  
 55.00 To grow Oak 21 in diam. stands in the line.  
 80.00 Set a post for the cor of sec. 25 & 36. from which;  
 Oak 10 in. diam. trees. \$1071.26 links cut; &  
 No. 12 " " " \$5971.15 " "

North On the East Boundary of sec. 25 & 34. N. R. 7 W.  
 Land 2<sup>nd</sup> rate on last mile.  
 25.10 To grow Oak 10 in diam. in the line  
 40.00 Set a 7/4 support from which;  
 Oak 12 in. diam. trees. \$4571.53 links cut;  
 No other trees near.  
 61.02 To grow Oak 8 in diam. stands in the line  
 80.00 Set a post for the cor of sec. 24 & 25 from which;  
 1/3 Jack 10 in diam. trees. \$4271.51 links cut; &  
 No. 9 " " " \$7671.67 " "  
 Land 1/2 mile prairie, some timber of 1/3 Jack &  
 Hickory, Grass.

North On the East Boundary of sec. 24. T. 4 N. R. 7 W.  
 Poor prairie; very little timber; Oak & Hickory.  
 40.00 Set a 7/4 support from which;  
 Oak 14 in. diam. trees. \$7791.28 links cut;  
 80.00 Set a post for the cor of sec. 13 & 24 from which;  
 Gum 10 in. diam. trees. \$6643.43 links cut;

North On the East Boundary of sec. 13. T. 4 N. R. 7 W.



T. N. H. N. R. No. 7 N. 2<sup>nd</sup> Mer. Sud.

This note is for a pair interspersed with glades of small  
timber of Oak & Hickory

40.00 Set a 1/4 sec post no bearing

80.00 Set a post for the corner 12 & 13 from which an  
Oak 18 in. diam. stands. S 21 N. 84 W. 84 links out; & 5  
No. 20 " " " N 34 W 78 " "

North On the East Boundary of sec. 12 T. 4 N. R. 7 W.

Land barren. Timber Oak & Hickory, gently rolling

40.00 Set a 1/4 sec post no prompt.

80.00 Set a post for the corner 12 & 13 from which an  
Oak 12 in. diam. stands. N 13 W. 36 links out;

North On the East Boundary of sec. 1 T. 4 N. R. 7 W.

Very land some as last note.

40.00 Set a 1/4 sec post in open barrens

41.79 To an Oak 14 in. diam. in the line.

44.17 To a ~~corner~~ 50 links corner N 40 W

45.00 To a bottom land R. note; Timber Elm, Oak 13 & 11.  
Walnut &c.

55.00 Barren. Some Oak & Hickory

80.00 Set a post for the corner of T. 4 & 5 N. R. 6 & 7 W.

Thursday 7<sup>th</sup> Feb. 1805.

## North Boundary

West On the South Boundary of 36 T. 5 N. R. 1 W

25.87 To an Oak 12 in. diam. it stands in the line

30.00 Land tolerably good

40.00 Set a 1/4 sec post from which an

Oak 16 in. diam. stands N 20 E 370 links out; & 8

No 10 " " " S 60 W 39 " "

80.00 Set a post for the corner 35 & 36 from which an

Hickory 8 in. diam. stands. N 57 E 155 links out; & 8.

No more trees

483

T. N. 4 N.R. No 7 W. 2<sup>nd</sup> Mer. Incl.

West On the South Boundary of sec. 35 T. 5 N. R. 7 W.  
 27.41 To a Marker 22, in. dia. stands in the line  
 32.00 Crossed the head of a brook 100 links wide, Course S W  
 37.00 To a Bayou 130 links wide, Course S  
 40.00 Set a post from which  
 Ash. 15 in. dia. bend. N 38 E. 20 links wide; & 9  
 Ho. 16 " " " N 60 W 35 " "  
 60.00 To a Bayou 200 links wide, Course S.  
 80.00 Set a post for the cor of ed. 34 & 35 from which  
 Sugar. 18 in. dia. bend. N 45 E. 46 links wide; & 9  
 Ho. 14 " " " S 79 W 32 " "  
 Cross R. to bottom land. Timber Elm, W Ash,  
 B & W Walnut, Sugar &c.

West On the South Boundary of sec. 34 T. 5 N. R. 7 W.  
 7.44 To a Bayou 150 links wide, Course S W  
 16.37 " " Sugar. 30 in. dia. stands in the line.  
 29.54 " " Bayou 200 links wide, Course S. W.  
 40.00 Set a post from which  
 Ash. 12 in. dia. bend. N 39 E. 30 links wide; & 9.  
 Ho. 6 " " " S 30 W 33 " "  
 51.50 To a Bayou 200 links wide, Course S. W.  
 58.00 " " Ho. 130 " " " S. E.  
 69.32 To a Sugar 33 in. dia. stands in the line  
 80.00 Set a post for the cor of ed. 33 & 34 from which  
 Ash. 8 in. dia. bend. S 63 W. 34 links wide; & 9  
 Ho. 9 " " " N 41 E. 12 " "  
 Cross R. to bottom; Timber Ash, Elm, W Walnut &  
 Sugar.

West On the South Boundary of sec. 33 T. 5 N. R. 7 W.  
 12.09 To an Ash, which stands for the cor on the East Bank of  
 White River.



## T. N. 4 T. R. N. 7 W. 2nd Mer. Ind. 9

West On the South Boundary of Sec. 36. T. 5 N. R. 7 W.  
 4.15 To a Yucca 48 in. diam. Stands in the line.  
 5.00 To Back water corner S.  
 38.65 To an Ash. 24 in. diam. Stands in the line.  
 40.00 A Hairy 36 in. diam. Stands from the corner of Sec.  
 71.50 Enter at the West Boundary 17.40 ch. North of the post  
 corner of Secs. 4 & 5 N. 7 & 8 W. & set a post for the  
 cor. " " 4 & 5 N. 7 & 8 W. from which an  
 Elm, 15 in. diam. bears S 13 E. 10 links north; & 5  
 W Oak. 8 " " N 34 E. 14 " "

Surveyed by  
 Stephen Benten L.S.

## West Boundary.

North On the East Boundary of Sec. 36. T. 4. N. R. 8 W.  
 53.84 To a Red Oak. 24 in. diam. Stands in the line.  
 80.00 Set a post for the cor. of Secs. 25 & 36. from which,  
 W Oak. 20 in. diam. bears N 16 W. 26 links north; & 5  
 Do. 12 " " S 82 W. 43 " "  
 Open upland prairie; little or no timber a few scatter-  
 ing Oaks

North On the East Boundary of Sec. 36. T. 4. N. R. 8 W.  
 1.50 To a Pine 5 ch & 8 links in, coming out of Jackson  
 Range this.  
 65.8 To a Black Oak. 24 in. diam. Stands in the line  
 40.00 Set a post from which,  
 N. Black Oak. 24 in. diam. bears S 8 E. 13 links north; & 5  
 W Oak. 14 " " N 19 E. 17 " "  
 68.00 To a Hackberry 14 in. diam. Stands in the line.  
 80.00 Set a post for the corner of Secs. 25 & 36. from which,  
 Elm. 14 in. diam. bears N 65 W. 42 links north; & 5  
 Hackberry 10 " " S 33 W. 27 " "



D. N. H. N. R. N. 7 W. 2<sup>nd</sup> (Mm. Sea?)

Land this side R. Walnut. Bottom. Hackberry & Sycamore

North On the East Boundary of la. 25 T. 4 N. R. 8 W.  
 18.80 To a Hackberry 24 in. diam. Stand in the line.  
 32.50 To a brush. 100 in. diam. Stand in the line.  
 40.00 Set a post from which;  
 Red Oak 30 in. diam. Stand N 18 E 18 in. diam; 15  
 Box Elder 18 " " " N 54 W 34 " "  
 49.64 Saw cut (White River) Off 26 East 20 ch. and came  
 in to our line again at 67.40.  
 80.00 Set a post for the cor. off 24 S 25. from which;  
 Sycamore 30 in. diam. Stand S 72 W 40 in. diam; 15  
 Elm 12 " " " N 27 W 14 " "  
 Land to the bottom; limits R. Walnut. & Cottonwood.

North On the East Boundary of la. 24 T. 4 N. R. 8 W.  
 5.50 To a Sycamore 60 in. diam. Stand in the line.  
 40.00 Set a post from which;  
 Hackberry 6 in. diam. Stand N 86 W 17 in. diam; 15  
 Honey 12 " " " S 45 W 33 " "  
 64.50 To a Hackberry 17 in. diam. Stand in the line.  
 80.00 Set a post for the cor. off 13 S 24 from which;  
 Hackberry 30 in. diam. Stand N 52 W 21 in. diam; 15  
 Sugar 14 " " " S 11 W 28 " "  
 Land to the bottom; limits R. Walnut.

North On the East Boundary of la. 13 T. 4 N. R. 8 W.  
 40.00 Set a post from which;  
 Red Oak 14 in. diam. Stand S 8 E 30 in. diam; 15  
 Elm " " " S 46 E 39 " "  
 45.30 To a White River and set a post from which;  
 Maple 8 in. diam. Stand S 69 E 14 in. diam; 15  
 Oak 12 " " " S 22 W 32 " "





T. No. 4. N.R. No. 77. 2<sup>nd</sup> Mm. Ind.?

North Return Sat. 25 & 26. T. H. N.R. 77.  
 Over 2<sup>nd</sup> rate; Interval; Limbu, ash, Elm, Maple &c.  
 19.50 To a Pm. 3 links mine, Course. S.E.  
 20.17 To an Elm. 20 in dia. Stands in the line.  
 21.00 To a few prairie Sand pines.  
 40.00 Set a 7<sup>th</sup> sap post; no bearing trail.  
 80.00 Set a post for the cor of sat. 23, 24, 25 & 26, from which  
 Oak. 13 in dia. bears N 35 W. 51 links dist; & 9  
 Hc. 11 " " " N 21 E. 38 " "

East Return Sat. 24 & 25. T. H. N.R. 77.  
 Sand some ash & oak.  
 39.83 Set the 7<sup>th</sup> sap post; no bearing  
 79.66 Intersub the East Boundary at the post cor of sat. 24 & 25

North Return Sat. 23 & 24. T. H. N.R. 77.  
 Over sandy barrens some timber  
 40.00 Set a 7<sup>th</sup> sap post from which  
 Oak. 9 in dia. bears S 43 W. 44 links dist; & 5  
 Hc. 8 " " " N 58 W. 20 " "  
 45.00 Lands 2<sup>nd</sup> rate interval; Limbu ash, Elm, Maple &c.  
 57.57 To an Elm. 20 in dia. Stands in the line.  
 66.00 To a Pm. 5 links mine, Course S.W.  
 80.00 Set a post for the cor of sat. 13, 14, 23 & 24 from which  
 Oak. 8 in dia. bears S 55 W. 16 links dist; and an  
 Do. 8 " " " S 22 E. 23 " "

East Return Sat. 13 & 24. T. H. N.R. 77.  
 Over herb prairie some Oak, Limbu Grass in abundance  
 40.08 Set a 7<sup>th</sup> sap post from which  
 W Oak. 15 in dia. bears N 31 E. 80 links dist; & 5  
 W Oak. - " " " S 83 E. 76 " "  
 80.16 Intersub the East Boundary at the post cor of 13 & 24

North Between Sec. 13 & 14 T. 4. N.R. 7 W.  
 Sandy sandy prairie; Little timber  
 40.00 Set a 7/4 stake from which are  
 Oak 10 in. diam. trunk. N 79 E. 20 links each; & 5  
 Do 12 " " " S 38 E. 87 " "  
 64.00 To a Run. 7 links wide, Corner S.W.  
 80.00 Set a post for the cor of Sec. 11, 12, 13 & 14 from which are  
 Oak 10 in. diam. trunk. S 72 E. 80 links each; & 5  
 Do. 18 " " " N 32 E. 109 " "

East Between Sec. 12 & 13 T. 4. N.R. 7 W.  
 40.00 Set the 7/4 stake at an ditch, from — No bearings  
 80.00 Intersect the East Boundary at the post cor of Sec. 12 & 13.  
 This mile is prairie mostly rolling; Little Oak & Hickory  
 Sande poor.

North Between Sec. 11 & 12 T. 4. N.R. 7 W.  
 Coar. sandy barrens; little timber.  
 40.00 Set a 7/4 stake; No bearing true  
 65.25 To a Run 12 links wide, Corner S.W.  
 80.00 Set a post for the cor of Sec. 1, 2, 3 & 12 from which are  
 Hick 14 in. diam. trunk. N 55 E. 50 links each; & 5  
 Oak 9 " " " N 17 W. 48 " "

East Between Sec. 1 & 2 T. 4. N.R. 7 W.  
 40.00 Set a 7/4 stake at an ditch from which are  
 W. Jack. 9 in. diam. trunk. S 40 W. 91 links each;  
 80.00 Intersect the East Boundary at the post cor of Sec.  
 1 & 2 This mile is sandy barrens.

North Between Sec. 1 & 2 T. 4. N.R. 7 W.  
 Sandy sandy barrens some timber.  
 39.82 Set 1/4 stake at an ditch. No bearings

## T. H. M. R. No. of W. J. M. M. S. A. A.

50.00 To 2nd rate bottom land Timber Elm, ash & Maple.  
 61.00 To a Brook 50 miles away,  
 79.65 Intersub the N. H. Boundary at the foot cor of cor 35th,  
 36. To N. H.

North Return Sec. 34 & 35. T. H. M. R. T. W.  
 Sand sandy barrens; Little timber  
 40.00 Set a 7th La post No bearing trees.  
 80.00 Set a post for the cor of cor 26, 27, 34 & 35 from which,  
 Elm, 18 in. diam. trees. 922 E. 102 links each; 1/2  
 ash, 8 " " ; 159 W. 41 " "  
 East 7 miles, mostly level with prairie; Timber ash,  
 Elm, 1/2.

East Return Sec. 26 & 35 T. H. M. R. T. W.  
 Sand sandy barrens Timber some Oak & Hickory.  
 40.00 Set the 7th La post at an. each from which - no bearing  
 80.00 Intersub the North & South line at the foot cor of cor.  
 26 25 35 736.

North Return Sec. 26 & 27 T. H. M. R. T. W.  
 Sand level with prairie Timber ash, Elm, 1/2.  
 30.00 Sand sandy barrens; Some Oak & Timber.  
 40.00 Set a 7th La post from which  
 W Oak. 12 in. diam. trees. 144 E. 108 links each; 1/2  
 1/2 16 " " " 133 W. 91 " "  
 80.00 Set a post for the cor of cor. 22, 23, 26 & 27 from which,  
 W Oak. 18 in. diam. trees. 955 W. 52 links each; 1/2  
 1/2 20 " " " 134 E. 16 " "

East Return Sec. 23 & 26 T. H. M. R. T. W.  
 Sand prairie level with rolling Timber Oak, Hickory, Sand pine.  
 40.00 Set the 7th La post at an. each from bearing



491

T. H. N. R. N. of W. 2nd. Mo. Ind.

80.00 Intment the N+S line at the first cor of sec 23, 24, 25 & 26.

North Section Sec. 22 & 23. T. H. N. R. of W.

Corn land barren for trees.

40.00 Set a 7/4 section; No barney trees.

37.00 Section 10 miles wide, corner S.E.

80.00 Set a post for the cor of sec. 14, 15, 22, & 23 from which an Oak, 10 in. diam. bears N 78° E. 235 links out;  
No more trees.

East Section Sec. 14 & 23. T. H. N. R. of W.

Corn hilly barren some Oak & Hickory.

28.00 Set a 7/4 section.

40.00 Set the 7/4 section at av. dist.

75.00 Leave the same.

80.00 Intment the N+S line at the first cor of sec. 13, 14, 23 & 24

North Section Sec. 14 & 15. T. H. N. R. of W.

Corn prairie land gently rolling; some some some some.

40.00 Set the 7/4 section from which

an Oak, 10 in. diam. bears East 31 links out;

48.75 Set a 7/4 section. 20 in. diam. stands in the line.

50.00 To open prairie; Grass in abundance.

80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which an Oak, 10 in. diam. bears S 9° E. 90 links out; & 9  
Do. 10 " " N 30° E. 115 " "

East Section Sec. 11 & 14. T. H. N. R. of W.

39.65 Set the 7/4 section at av. dist. from which an

Oak, 10 in. diam. bears N 53° E. 31 links out;

Do. 18 " " S 52° W 63 " "

79.30 Intment the N+S line at the first set for the cor of sec. 11, 12, 13 & 14 This mile is sandy barren; some Oak & Hickory



T. M. H. M.R. N. of N. 2<sup>nd</sup> (Mm. Sur.)

North Return Sur 10 & 11. T. H. M.R. 7<sup>th</sup> W.  
 Land open prairie  
 40.00 Set a 7<sup>th</sup> to post No bearing Sur.  
 60.00 To corner land Timber Oak & Elm.  
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11. From which you  
 dist. 21 in. dist. bears. S 57 E. 28 cuts cuts & S  
 Elm. 10 " " " S 45 W. 13 " "

East Return Sur 2 & 11. T. H. M.R. 7<sup>th</sup> W.  
 40.00 Set a 7<sup>th</sup> to post at av. dist. No bearing Sur.  
 80.00 Enter at the NW 1/8 line at the post cor of sec. 1, 2, 11 & 12.  
 Land open prairie

North Return Sur 2 & 3. T. H. M.R. 7<sup>th</sup> W.  
 21.00 To a Brook 70 miles wide, Corner N.  
 40.00 Set a 7<sup>th</sup> to post from which you  
 dist. 9 in. dist. bears. N 46 W 33 cuts cuts & S  
 Hick 9 " " " S 34 E 21 " "  
 79.80 Enter at the N Boundary at the post cor of sec. 34 & 35.  
 T. H. M.R. 7<sup>th</sup> W.  
 This mile you cut prairie; some timber much Grass  
 & S. East 3/4 land & S. north bottom land. Timber Oak,  
 Sugar Oak & S.

North Return Sur 23 & 34 T. H. M.R. 7<sup>th</sup> W.  
 Land poor prairie; Timber some Oak & Hickory.  
 20.00 Open prairie  
 40.00 Set a 7<sup>th</sup> to post; no bearing.  
 80.00 Set a post for the cor of sec. 27, 28 33 & 34 (No bearing trees)

East Return Sur 27 & 34 T. H. M.R. 7<sup>th</sup> W.  
 20.00 Some Oak & Hickory  
 40.00 Set a 7<sup>th</sup> to post at av. dist. from which you

493

J. N. H. M. R. No. 7/77. 2<sup>nd</sup> (Mr. Ind.:

Oct. 20 in. clear land. 149 E. 69 units each, 15  
 14. 14 " " 833 71.67 " "  
 80.00 Interest to the N & S line at the first corner of lot 26, 27, 34 & 35.

North Return Jan 27 & 28,  
 40.00 Set a 7/4 to post no bearing.  
 80.00 Set a post for the corner of lot 22, 27 & 28.  
 This mile is level prairie no timber.

East Return Jan 22 & 27. J. H. M. R. T. N.  
 Cross level prairie land; mt.  
 23.00 Large sandy barrens. Some small Oak timber.  
 40.00 Set a 7/4 to post at av. dist from which,  
 Oct. 9 in. clear land. 110 N 97 units each, 15,  
 no other trees near.  
 80.00 Subscribed the N & S line at a post corner of lot 22,  
 23, 26 & 27.

North Return Jan 24 & 22 J. H. M. R. T. N.  
 Large level mt prairie; no timber  
 40.00 Set a 7/4 to post: no bearing  
 80.00 Set a post for the corner of lot 15, 16, 21 & 22  
 No bearing fixed.

East Return Jan 15 & 22 J. H. M. R. T. N.  
 Large level and mt prairie; an arct<sup>th</sup> alder & willow  
 30.00 Barrens some timber  
 40.10 Set the 7/4 to post at av. dist from which  
 13 feet 8 in. clear land. 153 E. 29 units each, 15,  
 14. 7 " " 131 71.9 " "  
 80.20 Subscribed the N & S line at the first corner of lots 14, 15,  
 22 & 23. J. H. M. R. T. N.

T. N. H. N. R. 77. 2<sup>nd</sup> (Mn. Ind.)

North Return Sat 15<sup>th</sup> 16. T. H. N. R. 77.  
 Open prairie Land for.  
 40.00 Set up 2 post; No bearing trees.  
 65.00 Same timber  
 80.00 Set a post for the cor of Sec. 9 10 15 & 16. From which;  
 W Oak 18 in. diam. trans. N 70 W 33 links dist; 1/2  
 Elm. 9 " " S 72 E 42 " "

East Return Sat. 10<sup>th</sup> 15. T. H. N. R. 77.  
 Land 2<sup>nd</sup> rate bottom Timber Oak, Ash, Elm, Maple.  
 20.00 Is open prairie Land not under for.  
 40.00 Set up 2 post at an. dist. No bearing trees.  
 80.20 Intersect the N 73 line at the post cor of Sec. 10 11 14 & 15.

North Return Sat 9<sup>th</sup> 10 T. H. N. R. 77.  
 40.00 Log Brook. 100 links mid, Corner S. W.  
 40.00 Set up 2 post from which;  
 Ash. 10 in. diam. trans. N 44 E 51 links dist; 1/2  
 W Oak 18 " " " S 29 W 25 " "  
 80.00 Set a post for the cor of Sec. 3, 4, 9 & 10 From which;  
 Oak 12 in. diam. trans. N 53 W 24 links dist; 1/2  
 Ash. 9 " " " S 23 E 56 " "

East Return Sat 3<sup>rd</sup> 10 T. H. N. R. 77.  
 40.00 Set up 2 post at an. dist. From which;  
 Ash. 14 in. diam. trans. N 73 E 16 links dist; 1/2  
 Do. 9 " " " S 20 W 23 " "  
 48.00 Log Brook. 70 links mid, Corner S. W.  
 80.00 Intersect the N 53 line at the post cor of Sec. 2, 3 10 & 11  
 This note is 2<sup>nd</sup> rate bottom land; Timber Oak,  
 Elm, & Maple.

North Return Sat 3<sup>rd</sup> 11 T. H. N. R. 77.

North Return Sec. 32 & 33. T. 4. N. R. J. W.  
Land low mt prairie. Timber Elm, Oak & Hickory  
Plenty Grass.

40.00 Set a 1/4 to post from which,  
12 Oak. 12 in. diam. beam. N 57 E. 47 hnds. dist;

40.00 Land good some Oak & Hickory

80.00 Set a post for the cor of sec. 28, 29, 32 & 33 from which,  
Oak. 6 in. diam. beam. N 51 W. 13 hnds. dist; 1/2  
1/2 Oak. 6, " " S 57 E 34, " "

East Return Sec. 28 & 33. T. 4. N. R. J. W.  
Land same as last mch, Timber Oak, Hickory.

30.00 To open prairie Land good.

40.00 Set a 1/4 to post at av. dist in open prairie

80.00 Intersub. the N & S lines at a post cor of sec. 27, 28, 33 & 34

North Return Sec. 28 & 29. T. 4. N. R. J. W.  
Land 2<sup>nd</sup> rate Timber Oak, Hickory.

19.21 To a Gum. 12 in. diam. in the line.

38.00 Wet. land Timber Elm, Maple, &c.

40.00 Set a 1/4 to post from which,  
Elm, 9 in. diam. beam. S 54 W. 46 hnds. dist; 1/2

80.00 Maple. 12 " " " N 52 E. 50 " "  
Set a post for the cor of sec. 20, 21, 28 & 29 from which,  
Maple. 12 in. diam. beam. N 71 E. 45 hnds. dist; 1/2  
Maple. 10 " " " S 30 W. 10 " "

East Return Sec. 21 & 28. T. 4. N. R. J. W.  
Open, low land. Hard with water; Maple Elm & Oak.

25.00 Land prairie some timber

40.00 Set a 1/4 to post at av. dist from which,

1/2 Oak. 9 in. diam. beam. N 59 W. 86 hnds. dist;

50.00 Open prairie; Land mt; Plenty of Grass



T. No. 4. N.R. No. 772 2<sup>nd</sup> Mo. Ind.

North Return Sec. 20 & 21 T. 4. N.R. 772  
 Land 2<sup>nd</sup> rate upland. Timber Oak & Hickory  
 30.00 Land prairie Little timber best good  
 40.00 Set a 7<sup>th</sup> to post No bearing trees.  
 80.00 Set a post for the cor of sec. 16. 17. 20 & 21. From which an  
 Oak 12 in. diam. bears. N 60 W. 31 links each; & 5  
 Do. 10 " " " S 35 E. 22 " "

East Return Sec. 16 & 21 T. 4. N.R. 772  
 Land prairie & best good; some Hickory & Oak  
 40.00 Set a 7<sup>th</sup> to post; No bearing (av. ditch)  
 55.00 In open prairie Land down with plenty of small  
 80.00 Set a post for the NW 1/4 at the post cor of sec. 15. 16. 21 & 22

North Return Sec. 16 & 17 T. 4. N.R. 772  
 Open poor land; timber Oak & Hickory  
 40.00 Set a 7<sup>th</sup> to post No bearing  
 80.00 Set a post for the cor of sec. 8. 9. 16. & 17 From which,  
 N. Oak 9 in. diam. bears. N 77 W 13 links each; & 9  
 Do. 9 " " " S 63 E. 62 " "

East Return Sec. 9 & 16 T. 4. N.R. 772  
 10.00 To a Brook 100 links near, corner South.  
 25.00 " Do. 100 " " " "  
 40.00 Set a 7<sup>th</sup> to post at av. ditch from which an  
 Elm 18 in. diam. bears. N 85 W 38 links each; & 3  
 Do. 12 " " " S 23 E. 23 " "  
 75.00 To a Brook 100 links near, corner NW.  
 80.00 Set a post for the NE 1/4 at a post cor of sec. 9. 10. 15 & 16.  
 This with land with best land. Timber Oak, Elm & Maple

North Return Sec. 8 & 9 T. 4. N.R. 772  
 Land 2<sup>nd</sup> rate bottom Timber Oak, Elm & Maple



497

T. N. H. A. R. N. J. W. 2<sup>nd</sup> (Mn. Ind.)

	Necky 1/2,
40.00	Set a 7 <sup>th</sup> support from which,
	W Oak. 36 in. diam. beam. N33 W. 22 units each; &
	Do. 24 " " " S61 E. 19 " "
50.00	1 <sup>st</sup> rate bottom land Timber Oak, Elm, Sugar,
	B & W Mahogany,
80.00	Set a post for the cor. of Sec. 4, 5, 8 & 9 from which,
	W Oak. 21 in. diam. beam. N24 E. 34 units each; &
	Sym. 9 " " " S23 W. 57 " "
<hr/>	
Cash	Return Sec 4 & 9 T. H. A. R. J. W.
39.80.	Set a 7 <sup>th</sup> support at av. dist. from which,
	Elm. 9 in. diam. beam. N28 W. 39 units each; &
	Do. 13 " " " S52 E. 3 " "
79.60	Intersect the N & S line at the post cor. of Sec. 3, 4, 9 & 10 This note is 2 <sup>nd</sup> rate bottom land. Timber Oak, Elm, & Maple.
<hr/>	
North	Return Sec 4 & 5 T. H. A. R. J. W.
40.00	Set a 7 <sup>th</sup> support from which,
	Oak. 9 in. diam. beam. N59 E. 14 units each; &
	Necky 6 " " " S21 W. 26 " "
45.30	Set a post on the Left Bank of White River for the cor. of Sec 4 & 5. From which,
	Beck. 6 in. diam. beam. S49 E. 23 units each; &
	Necky 9 " " " S22 W. 36 " "
Cash	Return Sec 4 & 5 T. H. A. R. J. W.
9.10	To a N Mahant. 20 in diam. in the Sec.
27.15	To an 24 in diam. stand for cor on the River Bank.
<hr/>	
North	Return Sec 31 & 32 T. H. A. R. J. W.
	Land 2 <sup>nd</sup> rate bottom land; Timber Elm, Oak, Maple,

T. N. H. N. R. N. N. 2<sup>nd</sup> Nov. Jan.

- 32.10 To a Gum. 21 in. diam. in the line  
 40.00 Set a 7/8 to post from which a  
 Wash. 18 in. diam. line. S 63 N. 36 line each, &  
 E. line. 19 " " " S 50 E. 36 " "  
 52.00 To open prairie  
 68.93 To an Oak. 15 in. diam. in the line.  
 80.00 Set a post for the cor of lat. 29.30.31 & 32 No bearing found.

- Cash Return lat 29 & 32. T. H. N. R. 7 N  
 Open prairie Sand rich.  
 15.00 Some timber  
 35.00 Open prairie  
 40.00 Set a 7/8 to post at an oak No bearing.  
 50.00 Some timber  
 80.00 Intersub the N & S line. at the post cor of lat. 28.29.32 & 33.  
 Feb. 7<sup>th</sup> 1885. T. H. N. R. 7 N.

- Wash. Return lat 30 & 31 T. H. N. R. 7 N.  
 Cor open prairie Sand rich.  
 8.00 Sand & water bottom. Timber Oak, ash, B. Walnut,  
 & s. Spruce.  
 40.00 Set a 7/8 to post from which,  
 S 44 W. 14 in. diam. line. N 46 W. 13 line each, &  
 E. line. 6 " " " S 30 E. 07 " "  
 54.00 Run the line; obliged to leave the line.

- North Return lat 29 & 30. T. H. N. R. 7 N  
 Cor open prairie; Sand Rich.  
 34.00 To a post. 10.00 the line,  
 40.00 Set a 7/8 to post in line.  
 44.00 To the North side, of the line.  
 44.00 N. water bottom land; Timber Oak, Elm, Sugar,  
 55.00 To same.

J. N. H. N. R. N. 777. 2<sup>nd</sup> (Mr. Ind<sup>o</sup>)

499

65.00	To the North side of the same
80.00	Set a post for the cor of lat. 19.20 29 & 30 from which, Sugar. 18 in. air. bent. N 64 E. 4 6 back arch; 15 W. Arch. 20 & " " S 23 N 37 " "
Each	Return Lat. 20 & 29. J. H. N. R. 777. Sands R <sup>th</sup> rate bottom; Timber Sugar, Arch. & Edm.
5.00	Open prairie Sands R <sup>th</sup> .
20.00	Corrugated and Indian Cabins.
39.90	Set a post at an arch in prairie open.
60.00	Sands 2 <sup>nd</sup> rate up to Timber Oak & Hick.
79.80	Set a post for the N 58 W at a post cor of lat. 20.21.28 & 29
West	Return Lat. 19 & 30. J. H. N. R. 777. Over R <sup>th</sup> rate bottom land.
6.00	To find a. of Back Water. from the River Oblige to Leave the line.
North	Return Lat. 19 & 20 J. H. N. R. 777. Sands R <sup>th</sup> rate bottom; Timber Sugar, R & W. Walnut.
15.50	To a Creek. Corner S. W. and back water & Oblige to Leave line.
East	Return Lat. 17 & 20. J. H. N. R. 777. Not surveyed on account of high water.
West	Return Lat. 18 & 19. J. H. N. R. 777. Line not run on account of high water.
North	Return Lat. 17 & 18 J. H. N. R. 777 Sands herb and mt. Timber Elm & Maple, & S.
40.00	Set a post for the same Maple. 12 in. air. bent. N 55 W 5 back arch; & S

T. N. 4. N.R. No. 7 of 17. 2<sup>nd</sup> Mm. Sec.

Maple 10 in. diam. trees. S 85 E. 18 links each;  
 80.00 Set a post for the cor of sec. 7, 8, 17 & 18 from which an  
 Elm, 9 in. diam. trees. S 39 N. 49 links each; &  
 Loc. 9, " " S 15 E. 26 " "

Each. Return Sec. 8 & 17. T. 4. N.R. 7 W.  
 40.00 Set a 7/4 post from which  
 Ash. 14 in. diam. trees. N 51 E. 26 links each; &  
 Elm. 6 " " S 62 W. 31 " "  
 80.00 Intersat the N 53 line at the post cor of sec. 8, 9, 16 & 17.  
 This note is 2<sup>nd</sup> rate land; Bottom; Timber, Ash, Elm,  
 Maple & Sugar.

Each. Return Sec. 7 & 18 T. 4. N.R. 7 W.  
 2<sup>nd</sup> rate bottom land. Timber N. Ash, Elm, & V. W.  
 Walnut & S.  
 19.22 To a Bayou. 300 links mid. Corner S. W.  
 40.00 Set a 7/4 post from which  
 Ash. 15 in. diam. trees. S 79 E. 10 links each; &  
 Loc. 9, " " N 72 W. 22 " "  
 66.50 Intersat the Left Bank of White River and set a post  
 for the cor of sec. 7 & 18. From which  
 Oak 20 in. diam. trees. S 57 W. 23 links each; &  
 Loc. 12 " " — " N 28 E. 43 " "

Each. Return Sec. 7 & 8 T. 4. N.R. 7 W.  
 40.00 Set a 7/4 post from which  
 Elm, 12 in. diam. trees. N 42 W. 35 links each; &  
 Cherry 16 " " " S 44 E. 46 " "  
 80.00 Set a post for the corner of 5, 6, 7, & 8 from which  
 Ash. 10 in. diam. trees. N 43 E. 18 links each; &  
 Loc. 15 " " S 62 E. 39 " "  
 Land 2<sup>nd</sup> rate bottom. Timber same as last note.

Cash	Return Sec. 578. J. H. N.R. 7 W.
40.00	Set the 1st post at av. dist from which, Back 9 in. dist. head. N 63 W. 44 links each; & 5 No. 6 " " " N 35 E. 14 " "
80.00	Set at the N 63 line at the post cor of sec. 4, 5, 8, 9 This mile is R. rate bottom land. Timber Elm, 120 W Walnut, Sugar, W. ash, &c.
West	Return Sec. 6. 47 J. H. N.R. 7 W
6.50	Land R. rate bottom. Timber Elm, Ash, Sugar, &c.
40.00	Set a 1st post from which as Back 18 in. dist. head. N 76 W 32 links each; & 5 No. 9 " " " S 20 E. 41 " "
52.95	To a Bayou Impassable. & Back water from White River.
North	Return Sec. 576. J. H. N.R. 7 W
	Over R. rate bottom land; Timber Elm, Sugar, B. W Walnut.
26.70	Set a post on the Left Bank. of White River from which, Sugar, Elm dist. head. S 52 W. 62 links each; & 5 No. 14 " " " S 18 E. 45 " "
North	Return Sec. 576 Continued
26.70	To a post on the South Bank of W River
33.00	To a Maple. on opposite Bank.
40.00	Set the 2nd post from which as Elm. 14 in. dist. head. S 88 E. 21 links each; & 5 No. 12 " " " S 37 W 41 " "
42.65	To an Elm, 18 in. dist. stands in the run.
83.40	Set at the Town line. 465 links East of the post cor of 31. & 32 J. 5 N.R. 7 W and set a post for the cor of Sec. 576 from which,



T. N. H. A.R. No. 7 N. 2nd Mer. Ind.

on Ash. 20 in. at base. S15 N. 13 links out; Va  
 Moor Ash. 14 " " S65 E. 29. "

Surveyed by  
 Stephen Benton D.S.

Meanders of the Right Bank of White River  
 Beginning in the N. Boundary of Sec 4. T. 4. N. R. 7 N  
 thence down stream in Sec. 4.

S10 N. 28.00 To the line between Sec. 4 & 5. thence

S19 N. 13.00

S77 N. 10.00

N53 N. 10.00

N8 N. 10.00

N. 6 E. 26.00 To North Boundary of Sec. 5.

From the N. Boundary on the West side of Bend:  
 thence in Sec. 5.

S36 E. 19.00

South 13.00

S16 N. 25.00

In Sec. 5.

S86 N. 15.00

N70 N. 5.00

N53 N. 5.40 To line between Sec. 5 & 6.

N72 N. 12.00

West 22.00

N59 N. 4.00

N21 W. 15.00.

In Sec. 6.

N10 N. 15.00

N40 N. 4.00

N65 N. 8.00

West 10.00

\$65<sup>th</sup> 8.00

\$41<sup>th</sup> 12.00 To West Boundary of Sec. 6, T. 4, R. 7 N.

From the West Boundary in Sec. 7 thence down stream  
on the Left Bank.

\$17<sup>th</sup> E. 7.26

\$8<sup>th</sup> E. 35.00 To the Line between Sec. 7 & 18 thence

\$3<sup>th</sup> E. 20.00

\$8<sup>th</sup> 7.00

\$18<sup>th</sup> 10.00

\$37<sup>th</sup> 5.00. Intersect the West Range line 520 links N.  
of the 1<sup>st</sup> last post. West Boundary of Sec. 18.

Measure of Left Bank. Continued

Beginning at a W Oak. on East Side of head of Riv. in  
Sec. 4, T. 4, R. 7 N. down Stream

\$40<sup>th</sup> 6.50

\$65<sup>th</sup> 6.00

West 5.00

\$60<sup>th</sup> 15.27 To line between T. 4 & 5. R. 7 N. at 700  
m. last corner as Bayou or creek. 100 links wide,  
from S. at 10.00 a creek. 50 links wide, from South.

From post on West Boundary of Sec. 4, T. 4, R. 7 N.  
down Stream

\$9<sup>th</sup> 33.80 To line between Sec. 4 & 5.

Began on Iron line in Sec. 5. Thence up Stream

\$10<sup>th</sup> 15.00

South 13.00

\$17<sup>th</sup> E. 5.00



505

T. N. H. N. R. N. 772<sup>nd</sup> Mer. Ind.

North	Between Sec. 374. T. 4. N. R. 772.
18.12	To an Ash 21. in dist.
29.56.	" " Oak 10 " "
40.00	Set a 7 <sup>th</sup> sapot from which a
	W Walnut. 24 in dist from N 26 W. All the dist; to
	Ash. 6 " " N 76 E. 12 " "
79.00	Intersect the 73 <sup>rd</sup> of T. 5 N. R. 772.
	Good Bottom R. quality.

I certify that the foregoing Transcript of the  
field notes of Township N. 4 North of Range  
N. 7 West 2<sup>nd</sup> Mer. Indiana has been compared  
with the Original Notes in this Office and found  
to be correct.

Surveyor General's Office  
June 26. 1841. Cal.

E. S. Nairnes  
Sur. General.